

# Eaton E57-30PBU15-AD

Catalog Number: E57-30PBU15-AD

Inductive Proximity Sensor, E57, Straight, Unshielded, Output ON, Dual key micro, 500 mA at 250V, 3 pin, 2-wire AC, NC, 20-250V

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton E57 inductive proximity sensor	E57-30PBU15-AD
<b>UPC</b>	<b>Product Length/Depth</b>
782116097340	2.6 in
<b>Product Height</b>	<b>Product Width</b>
1.18 in	1.18 in
<b>Product Weight</b>	<b>Warranty</b>
0.5 lb	1 year
<b>Certifications</b>	
UL Listed	

## Product specifications

### Type

Inductive Proximity Sensor

### Contact Rating

500 mA at 250V

### Actuator function

Unshielded

### Enclosure material

Nickel plated brass

### Connection

Dual key micro

### Contact configuration

2-wire AC, NC

### Series

E57

### Environmental rating

IP67

### Number of pins

3

### Operating temperature - max

131 °F

### Operating temperature - min

-4 °F

### Maximum AC current

500 mA

### Input voltage

20-250 V

### LED indicator

Output ON

## Resources

### Catalogs

[Product Range Catalog Sensors – products, basic information, applications](#)

### Multimedia

[We make what matters](#)

### Specifications and datasheets

[Eaton Specification Sheet - E57-30PBU15-AD](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)