Eaton TCF20RNW

Catalog Number: TCF20RNW

Eaton Bussmann series TCF fuse, 20 A, 60 Hz, 50 Hz, Dual, Class CF, Black, Non-indicating, Blade end, Class CF, Time delay, 10 sec at 500%, 50 kAIC, Glass filled PES, Chassis, 35 mm DIN rail, Standard, 690 V

TEST POINT COFFE BUSSMANN CUBEFORD CUBEFORD For Short Circuit Protection Only 690VAC OR LESS TCF20RNW

General specifications

Product Name Eaton Bussmann series TCF fuse

UPC 051712357203

Product Height 1.75 in

Product Weight 0.08 lb

Compliances

CE Marked RoHS Compliant Catalog Number TCF20RNW Product Length/Depth 1.88 in

Product Width 0.75 in

Warranty Not Applicable

Certifications

UL Listed CSA Certified



Electrical rating

Amperage Rating

20 A

Frequency rating - max 60 Hz

Frequency rating - min

50 Hz

Interrupt rating

50 kAIC

Response time

10 sec at 500%

Voltage rating

690 Vac

Physical details

Color

Black

Fuse type Class CF

Time delay

Material Glass filled PES

Number of elements

Dual

Packaging type

Standard

General information

Class

Class CF

Connection

Blade end

Fuse indicator

Non-indicating

Mounting method

Chassis 35 mm DIN rail

Special features

Finger safe

Used with TCFH30NW

Resources

Catalogs

TCF20RNW~CUBEFUSE, TCFRNW 20A NON-IND Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

The Power of Space

Eaton Specification Sheet - TCF20RNW



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia